

ULTIMA+









www.armstrong.eu

Armstrong[®]

ULTIMA+



ULTIMA+


	BOARD	TEGULAR	MICROLOOK 90	VECTOR
	 Prelude XL ² /TLX 24 mm Prelude Sixty ²	 Prelude XL ² /TLX 24 mm Prelude Sixty ²	 Prelude XL ² /TL 15 mm Silhouette XL ² 15 mm Interlude XL ² 15 mm	 Prelude XL ² 24 mm Prelude Sixty ²
				
500 x 500 x 19 mm			7673 M	
600 x 600 x 19 mm	7661 M	7664 M	7674 M	7681 M
625 x 625 x 19 mm	7661 D	7664 D	7674 D	7681 D
625 x 1250 x 19 mm	7663 D			
675 x 675 x 19 mm	7662 M	7665 M	7675 M	
600 x 1200 x 19 mm	7663 M	7666 M	7677 M	
300 x 1200 x 19 mm			7676 M	



EN ISO 354 & EN ISO 11654

α_w	NRC	125	250	500	1000	2000	4000	Hz	
• Board, Tegular, MicroLook 90	0.70(H)	0.75	0.40	0.50	0.65	0.85	0.95	1.00	α_p
• Vector	0.75(H)	0.75	0.35	0.55	0.65	0.80	0.95	0.90	α_p

Sound Absorption Class = C



EN ISO 10848-2 & EN ISO 717-1

D_{nfw}	
36 dB	(Board, Tegular, MicroLook 90)
33 dB	(Vector)



EN ISO 140-3 & EN ISO 717-1

R_w	
18 dB	(Board, Tegular, MicroLook 90)



EEA	Euroclass A2-s1, d0
EN 13501-1	

RUS	KM1 (G1, V1, D1, T1)
FZ 123	



EN 12667 & ISO 8301

$\lambda = 0.052 \text{ W/m K}$



95 % RH



ISO 14644-1

ISO 5



$\approx 5.2 \text{ kg/m}^2$

*ULTIMA+ Board, Tegular & MicroLook 90 = 46%, ULTIMA+ Vector = 47%



Please contact our Armstrong Technical Sales Group for further details.

www.armstrong.eu

